## ON-SITE SYSTEMS, INC. REGID THE

A PUBLIC UTILITY CO.

'00 MAR 20 FA 2 36

March 20, 2000

Mr. David Waddell **Executive Secretary** Tennessee Regulatory Authority 460 James Robertson Parkway Nashville, TN 37243-0505

00-00234

RE: Petition to amend Certificate of Convenience and Necessity

Dear Mr. Waddell:

On-Site Systems Inc. desires to expand its service area to include a development in Sevier County, known as the Eagle Crest Development. The attached Petition is in support of our request.

Sincerely,

Charles Pickney, Jr., President

On-Site Systems, Inc.

7638 River Road Pike Nashville TN 37209-5733 (615) 356-7294 Fax (615) 356-7295

## BEFORE THE TENNESSEE REGULATORY AUTHORITY TO THE NASHVILLE, TENNESSEE

MADITY IEEE, TETT LESSEE	
2000	'00 mm 20
, 2000	
IN RE: PETITION OF ON-SITE SYSTEMS, INC. TO AME CERTIFICATE OF CONVENIENCE AND NECESSI	EXECUITED END ITS TY
DOCKET No. 00.00234	
Petition of On-Site Systems, Inc. to amend its Certificate of Convenience and Necessity	

On-Site Systems, Inc. ("On-Site") petitions the Tennessee Regulatory Authority ("TRA") to amend On-Site's Certificate of Convenience and Necessity to expand its service area to include a portion of Sevier County known as the Eagle Crest Development. It is located at the end of Eagle Crest Way. (see map Exhibit "A").

The Development will supply its own water. The Sevier County Government has no desire to provide sewer to this area. (See attached letter.) The nearest city is Gatlinburg and it cannot provide sewer service. (See attached letter.)

The proposed service area is comprised of approximately 80 acres.

Respectfully submitted,

Charles Pickney, Jr., President

On-Site Systems, Inc.



## On- Site Systems, Inc. Sewer Service Billing Structure Eagle Crest Development Sevier Co.

## **Residential Sewer Rate**

	Monthly <u>Charge</u>	Amount to be <u>Escrowed</u>	Reference <u>Exhibit</u>
Collection System Maintenance and operation	\$8.95	\$6.35	1
Treatment system costs - for Sand - Gravel Filter System	\$6.23	\$2.90	2
Utility costs - Sand gravel treatment & Pump station	\$1.30	0	3
Disposal system costs - using drip irrigation	\$1.53	\$0.88	4
Sampling and Testing costs - Required by State of Tennessee	\$7.00	0	5
Billing and collection costs	\$1.50	0	6
Miscellaneous Costs	\$0.40	0	7
State of Tennessee Department of Environment Annual Fee	\$0.52	0	8
Bonding costs -	\$0.00	0	9
Franchise - Excise Taxes - Utility Company	\$0.82	0	10
Public Utility Ad Valorem Tax	\$0.95	0	11
Federal Taxes	\$1.11	0	12
Local management fee	\$2.00	0	13
Corporate management fee	\$2.80	0	14
Total	\$35.11	\$10.13	

Fees: Non payment - 5%, Disconnection - \$10, Reconnection - \$15, Returned Ck - \$20, Access - \$84 / yr





December 1, 1999

Mr. Michael Hines Southeast Environmental Engineering, LLC 1920 Breezy Ridge Trail Concord, Tennessee 37922

Dear Mr. Hines:

Please accept this letter as a response to your November 17, 1999, correspondence regarding sewer service for Eagle Crest.

Specifically, at the present time, the City must advise that we cannot provide the requested service as the area is outside the corporate limits. The development is also outside the City's planning region.

If we can assist you in any other way, please let us know.

Sincerely,

Curdy ( · Ogle cindy Cameron Ogle

City Manager

/bcq

co: Elmer Hilliams, Utilities Manager (4/enclosure)

February 10, 2000

Mr. Michael Hines, M.S., P.E.
Principal
Southeast Environmental Engineering, LLC.
1920 Breezy Ridge Trail
Concord, Tennessee 37922



SEVIER COUNTY

LARRY WATERS
County Executive

Room 201E 125 Court Avenue Sevier County Court House Sevierville, Tennessee 37862 Office: (423) 453-6136 Home: (423) 436-4796 FAX: (423) 453-6830

Dear Mr. Hines,

In response to your letter and verbal requests, Sevier County does not provide sewage collection, treatment and disposal services to the Eagle Crest Resorts, Hidden Springs Resorts, or Ussery #1 properties. If you have additional questions, please call me.

Sincerely,

Larry Waters
County Executive

LW/sm

6366

1 Mile

3/4

1/4

SCALE 1:28,800

